

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	108868	"709"/(1-400).ccls. or "718"/(1-400).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:28
S34 8	0	(invok\$4 adj program) with (predetermined adj schedule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:28
S34 9	3	(execut\$4 adj program) with (predetermined adj schedule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:29
S35 0	18	(execut\$4 adj3 program) with (predetermined adj schedule)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:29
S35 1	13	S350 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:35
S35 2	2	((execut\$4 adj3 program) with (predetermined adj schedule)) with (user command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:34
S35 3	1	S352 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:36
S35 4	0	((execut\$4 adj3 program) with (predetermined adj schedule)) same (command adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:34
S35 5	2	(execut\$4 adj3 program) with schedule with (command adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:35

EAST Search History

S35 6	2	S355 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:35
S35 7	0	S356 and predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 10:35
S35 8	1	S353 and (command with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S35 9	461	718/101.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 0	1573	719/328-329.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 1	165951	"709"/(1-400).ccls. or "718"/(1-400).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 2	77994	("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 3	186	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 4	1	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch with (application adj program\$4 adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 5	3	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch same (application adj program\$4 adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S36 6	0	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch same (application adj program\$4 adj interface))) and wrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 7	7	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and batch and ((application adj program\$4 adj interface) api) and wrapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 8	629	batch and ((application adj program\$4 adj interface) api) and wrapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S36 9	1801	batch and ((application adj program\$4 adj interface) api) and wrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 0	2003	batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 1	64	(batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 2	47	((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 3	43	((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 4	40	((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4) and class) and framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S37 5	23	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and (batch with (api (application adj program\$4 adj interface))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 6	20	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and (batch with (api (application adj program\$4 adj interface)))) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 7	4	autosys and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 8	4	autosys and @ad<="20001027" and (unix nt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S37 9	17	autosys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 0	662	inactive near3 object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 1	2	(inactive near3 object\$1) and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 2	0	(inactive near3 object\$1) and evicted and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 3	0	(inactive near3 object\$1) and evict\$4 and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 4	3	(inactive near3 object\$1) and evict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S38 5	0	(inactive near3 object\$1) and oberley.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 6	1	(inactive near3 object\$1) and oberley.xp. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 7	0	(inactive near3 object\$1) and oberley.xp. and status and print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 8	27	api with batch\$3 with (class objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S38 9	13	(api with batch\$3 with (class objects)) and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S39 0	10	(wrap\$4 near3 batch\$3) with (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S39 1	19900854	@ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S39 2	7	S390 and S391	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S39 3	3	S392 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S39 4	57	(wrap\$4 with batch\$3) same (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S39 5	15	S394 and java	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S39 6	4	S391 and S395	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S397	2	(wrap\$4 with batch\$3) same (api (application adj program\$3 adj interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S398	14	(wrap\$4 with batch\$3) and (api (application adj program\$3 adj interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S399	780	(wrap\$4 with (bundle batch\$3)) and (api (application adj program\$3 adj interface) (procedur\$3 adj call) interfac\$3)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S400	4	S398 and S391	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S401	354	S399 and S391	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S402	1	S401 and "719"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S403	16	(wrap\$4 with (bundle batch\$3)) with (api (application adj program\$3 adj interface) (procedur\$3 adj call) interfac\$3)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S404	9	S403 and S391	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S405	7459	"719"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S406	158	(wrap\$4 near3 batch\$3) and (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S407	1	S406 and S405 and S391	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S408	1	(US-5966707-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S409	5	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$ or US-5966707-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S410	2	S409 and (batch\$3 with class)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S411	1	(US-5835763-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S412	1	S411 and (variable command parameter)	USPAT	OR	ON	2007/10/04 15:07
S413	1	S411 and ((variable command parameter) with batch)	USPAT	OR	ON	2007/10/04 15:07
S414	1	(US-5327559-\$).did.	USPAT	OR	OFF	2007/10/04 15:07

EAST Search History

S41 5	1	S414 and ((variable command parameter) with batch)	USPAT	OR	ON	2007/10/04 15:07
S41 6	3006	(mwaura camp).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S41 7	2	batch.clm. and S416	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S41 8	7191	718/1-108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S41 9	898	batch\$3 with class	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S42 0	195	S419 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S42 1	2	wrap\$4 with batch\$3 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S42 2	912	wrap\$4 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S42 3	31	S420 and S422	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S42 4	31	S423 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S42 5	3	S424 and batch\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S42 6	9	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-5966707-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S42 7	1	S426 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S428	9	S426 and (command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S429	9	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-5966707-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S430	9	S429 and (command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S431	5	S430 and (platform near3 independen\$2)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S432	898	batch\$3 with class	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S433	195	S432 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S434	912	wrap\$4 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S435	31	S433 and S434	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S436	31	S435 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S437	3	S436 and batch\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S438	3	S437 and (platform near3 independen\$2)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S439	3	S438 and reus\$4	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S440	3	S438 and (class with name)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S441	3	S438 and (java with framework)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S442	3	S438 and (java with framework) and (java with api)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S443	1	(US-6640244-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S444	1	S443 and (java with framework) and (java with api)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S445	66	class with batch\$3 with job	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S44 6	43	S445 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S44 7	1	(US-6640244-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S44 8	0	S447 and (script with (batch command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S44 9	1	S447 and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 0	1	S447 and ((script command) same batch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 1	1	S447 and ((prompt unix) same batch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 2	1	S447 and (class with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 3	1	S447 and (class with (framework program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 4	45	((wrapping wrap encapsulation encapsulat\$4) with batch).ab.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S45 5	32	S454 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 6	1	S455 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S45 7	1	S456 and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 8	1	S456 and (platform adj independen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S45 9	1	S458 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S46 0	0	(batch with job with framework).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S46 1	28	(batch with job with framework)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S46 2	0	S454 and S461	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S46 3	0	((wrapping wrap encapsulation encapsulat\$4) with batch) and S461	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S46 4	1	((wrapping wrap encapsulation encapsulat\$4) near3 job) with framework	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S46 5	1	((wrapping wrap encapsulation encapsulat\$4) near3 job) same framework	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S46 6	183	((wrapping wrap encapsulation encapsulat\$4) near3 job)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S46 7	6	S466 and framework and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S46 8	0	S467 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S46 9	6	S466 and framework and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S47 0	49	S466 and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S47 1	16	S470 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 2	2	S471 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 3	420	job with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 4	2623	(wrapping wrap encapsulation encapsulat\$4) with (job framework batch)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S47 5	20	S473 and S474	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S47 6	6	S475 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 7	1	S476 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 8	0	(send\$4 sent) with job with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S47 9	60	(send\$4 sent) with (batch job) with (framework class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 0	16	S479 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S48 1	1	S480 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 2	1	(US-6742015-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S48 3	1	(US-6742015-\$).did. and (framework with (batch communicat\$4 send\$4 batch job api))	USPAT	OR	ON	2007/10/04 15:07
S48 4	10	job with framework with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 5	21	(instantiat\$4 encapsulat\$4) with framework with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 6	4	S485 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 7	0	S486 and batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 8	3	S486 and (java (platform adj independen\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S48 9	0	S488 and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S49 0	3	S486 and (java (platform adj independen\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S49 1	1	("6865739").PN.	USPAT	OR	OFF	2007/10/04 15:07

EAST Search History

S49 2	0	((batch job) near3 api) with framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S49 3	2	batch adj framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S49 4	63	batch adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S49 5	0	(batch adj class) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S49 6	3	(batch adj class) with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S49 7	34	communicat\$4 with framework with job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S49 8	4	S497 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S49 9	38	(transfer\$4 messag\$4 communicat\$4) with framework with job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 0	4	S499 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S50 1	0	S500 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 2	885	schedul\$4 with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 3	2658	framework with (job api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 4	136	S502 and S503	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 5	45	S504 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 6	38	S505 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 7	35	S506 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 8	24	S507 and (platform adj independen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S50 9	29	S505 and (framework with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 0	28	S509 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S51 1	2	S510 and (dispatch\$4 with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 2	0	S511 and (platform adj independen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 3	2	S511 and (java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 4	1	("20040199919").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S51 5	0	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch same (application adj program\$4 adj interface))) and wrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 6	2003	batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 7	40	((((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4) and class) and framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 8	0	(inactive near3 object\$1) and evicted and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S51 9	0	(inactive near3 object\$1) and evict\$4 and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 0	3	(inactive near3 object\$1) and evict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S52 1	0	(inactive near3 object\$1) and oberley.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 2	0	(inactive near3 object\$1) and oberley.xp. and status and print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 3	27	api with batch\$3 with (class objects)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 4	10	(wrap\$4 near3 batch\$3) with (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S52 5	19900854	@ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 6	7	S524 and S525	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S52 7	57	(wrap\$4 with batch\$3) same (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S52 8	15	S527 and java	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S52 9	14	(wrap\$4 with batch\$3) and (api (application adj program\$3 adj interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 0	780	(wrap\$4 with (bundle batch\$3)) and (api (application adj program\$3 adj interface) (procedur\$3 adj call) interfac\$3)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 1	354	S530 and S525	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 2	16	(wrap\$4 with (bundle batch\$3)) with (api (application adj program\$3 adj interface) (procedur\$3 adj call) interfac\$3)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 3	7459	"719"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 4	158	(wrap\$4 near3 batch\$3) and (api (application program\$3 interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S53 5	7191	718/1-108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S53 6	898	batch\$3 with class	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 7	195	S536 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 8	2	wrap\$4 with batch\$3 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S53 9	912	wrap\$4 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 0	31	S537 and S539	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 1	9	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-5966707-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S54 2	898	batch\$3 with class	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 3	195	S542 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 4	912	wrap\$4 with api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 5	31	S543 and S544	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 6	31	S545 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S54 7	66	class with batch\$3 with job	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S54 8	1	(US-6640244-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S54 9	0	S548 and (script with (batch command))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 0	45	((wrapping wrap encapsulation encapsulat\$4) with batch).ab.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S55 1	32	S550 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 2	1	S551 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 3	1	S552 and platform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 4	1	S552 and (platform adj independen\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 5	0	(batch with job with framework).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 6	28	(batch with job with framework)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 7	0	S550 and S556	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S55 8	0	((wrapping wrap encapsulation encapsulat\$4) with batch) and S556	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S55 9	1	((wrapping wrap encapsulation encapsulat\$4) near3 job) with framework	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 0	1	((wrapping wrap encapsulation encapsulat\$4) near3 job) same framework	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 1	183	((wrapping wrap encapsulation encapsulat\$4) near3 job)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 2	6	S561 and framework and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07

EAST Search History

S56 3	0	S562 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S56 4	49	S561 and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 5	420	job with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S56 6	2623	(wrapping wrap encapsulation encapsulat\$4) with (job framework batch)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 7	20	S565 and S566	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S56 8	0	(send\$4 sent) with job with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S56 9	60	(send\$4 sent) with (batch job) with (framework class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 0	21	(instantiat\$4 encapsulat\$4) with framework with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 1	4	S570 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 2	0	S571 and batch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 3	3	S571 and (java (platform adj independen\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S57 4	0	S573 and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 5	0	((batch job) near3 api) with framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S57 6	63	batch adj class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S57 7	0	(batch adj class) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S57 8	34	communicat\$4 with framework with job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S57 9	38	(transfer\$4 messag\$4 communicat\$4) with framework with job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 0	4	S579 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 1	0	S580 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 2	885	schedul\$4 with framework	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S58 3	2658	framework with (job api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 4	136	S582 and S583	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 5	45	S584 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 6	38	S585 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 7	35	S586 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 8	29	S585 and (framework with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S58 9	28	S588 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S59 0	2	S589 and (dispatch\$4 with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S59 1	0	S590 and (platform adj independen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S59 2	1	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch with (application adj program\$4 adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S59 3	1	(inactive near3 object\$1) and oberley.xp. and status	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S59 4	1	S531 and "719"/\$.ccls.	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S59 5	1	S534 and S533 and S525	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S59 6	1	(US-5966707-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S59 7	1	(US-5835763-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S59 8	1	S597 and (variable command parameter)	USPAT	OR	ON	2007/10/04 15:07
S59 9	1	S597 and ((variable command parameter) with batch)	USPAT	OR	ON	2007/10/04 15:07
S60 0	1	(US-5327559-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S60 1	1	S600 and ((variable command parameter) with batch)	USPAT	OR	ON	2007/10/04 15:07
S60 2	9	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-5966707-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S60 3	1	S602 and (execut\$4 with command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S60 4	1	(US-6640244-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S60 5	1	S604 and (java with framework) and (java with api)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S60 6	1	(US-6640244-\$).did.	USPAT	OR	OFF	2007/10/04 15:07
S60 7	1	S548 and script	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S60 8	1	S548 and ((script command) same batch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S609	1	S548 and ((prompt unix) same batch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S610	1	S548 and (class with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S611	1	S548 and (class with (framework program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S612	1	S551 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S613	1	S554 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S614	6	S567 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S615	1	S614 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S616	16	S569 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S617	1	S616 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S618	1	(US-6742015-\$).did.	USPAT	OR	OFF	2007/10/04 15:07

EAST Search History

S61 9	1	(US-6742015-\$.did. and (framework with (batch communicat\$4 send\$4 batch job api))	USPAT	OR	ON	2007/10/04 15:07
S62 0	1	("6865739").PN.	USPAT	OR	OFF	2007/10/04 15:07
S62 1	1	("20040199919").PN.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S62 2	3	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and (batch same (application adj program\$4 adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 3	7	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.) and batch and ((application adj program\$4 adj interface) api) and wrapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 4	64	(batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 5	47	((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 6	43	((batch and ((application adj program\$4 adj interface) api) and (adaptor wrap\$4)) and (batch with (api (application adj program\$4 adj interface)))) and schedul\$4) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 7	23	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and (batch with (api (application adj program\$4 adj interface))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 8	20	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and (batch with (api (application adj program\$4 adj interface)))) and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S62 9	4	autosys and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S63 0	4	autosys and @ad<="20001027" and (unix nt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S63 1	17	autosys	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S63 2	2	(inactive near3 object\$1) and oberley.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S63 3	13	(api with batch\$3 with (class objects)) and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S63 4	3	S526 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S63 5	4	S525 and S528	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S63 6	2	(wrap\$4 with batch\$3) same (api (application adj program\$3 adj interface))	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S63 7	4	S529 and S525	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S63 8	9	S532 and S525	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S63 9	5	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$ or US-5966707-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S64 0	2	S639 and (batch\$3 with class)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S64 1	3006	(mwaura camp).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S64 2	2	batch.clm. and S641	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S64 3	31	S540 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S64 4	3	S643 and batch\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S64 5	9	(US-20010052108-\$).did. or (US-5327559-\$ or US-5504898-\$ or US-5835763-\$ or US-5966707-\$ or US-6349333-\$ or US-6615166-\$ or US-6662357-\$ or US-6671818-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/10/04 15:07
S64 6	9	S602 and (command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S64 7	9	S541 and (command)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S64 8	5	S647 and (platform near3 independen\$2)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S64 9	3	S546 and batch\$4.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S65 0	3	S649 and (platform near3 independen\$2)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 1	3	S650 and reus\$4	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 2	3	S650 and (class with name)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 3	3	S650 and (java with framework)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 4	3	S650 and (java with framework) and (java with api)	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 5	43	S547 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07

EAST Search History

S65 6	32	S550 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S65 7	6	S561 and framework and api	US-PGPUB; USPAT	OR	ON	2007/10/04 15:07
S65 8	16	S564 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S65 9	2	S658 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 0	6	S567 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 1	16	S569 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 2	10	job with framework with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 3	4	S570 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 4	3	S571 and (java (platform adj independen\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 5	2	batch adj framework	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07

EAST Search History

S66 6	3	(batch adj class) with job	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/04 15:07
S66 7	4	S578 and api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 8	4	S579 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S66 9	24	S587 and (platform adj independen\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:07
S67 0	2	S589 and (dispatch\$4 with class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 1	2	S590 and (java)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 2	186	((("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027") and batch.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 3	629	batch and ((application adj program\$4 adj interface) api) and wrapping	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 4	662	inactive near3 object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08

EAST Search History

S67 5	1801	batch and ((application adj program\$4 adj interface) api) and wrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 6	165951	"709"/(1-400).ccls. or "718"/(1-400).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 7	77994	("709"/(1-400).ccls. or "718"/(1-400).ccls.) and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 8	3006	(mwaura camp).inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S67 9	1	(US-6519594-\$).did.	USPAT	OR	OFF	2007/10/04 15:08
S68 0	1	(US-6519594-\$).did. and class	USPAT	OR	OFF	2007/10/04 15:08
S68 1	0	(US-6519594-\$).did. and (wrap\$4 with (application program))	USPAT	OR	OFF	2007/10/04 15:08
S68 2	1	(US-6519594-\$).did. and (wrap\$4 same (application program))	USPAT	OR	OFF	2007/10/04 15:08
S68 3	1	(US-6519594-\$).did. and creat\$4	USPAT	OR	OFF	2007/10/04 15:08
S68 4	1	(US-6519594-\$).did. and api	USPAT	OR	OFF	2007/10/04 15:08
S68 5	1	(US-6519594-\$).did. and api	USPAT	OR	ON	2007/10/04 15:08
S68 6	355	wrap\$4 with (program application) with api	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S68 7	211	S686 and class	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08

EAST Search History

S68 8	17	(wrap\$4 with (program application) with api).ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S68 9	4	S688 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 0	4	S689 and class	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 1	1	S690 and schedul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 2	1	S691 and ((creat\$4 modiff\$4) with api)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 3	303	(creat\$4 with api).ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 4	91	S693 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 5	14	S694 and class.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 6	3	S695 and wrap\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08

EAST Search History

S69 7	0	S696 and command\$1line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 8	0	((invok\$4 adj program) with (predetermined adj schedule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S69 9	3	((execut\$4 adj program) with (predetermined adj schedule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 0	18	((execut\$4 adj3 program) with (predetermined adj schedule))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 1	13	S700 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 2	2	((execut\$4 adj3 program) with (predetermined adj schedule)) with (user command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 3	1	S702 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 4	0	((execut\$4 adj3 program) with (predetermined adj schedule)) same (command adj line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 5	2	((execut\$4 adj3 program) with schedule with (command adj line))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 6	2	S705 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08

EAST Search History

S70 7	0	S706 and predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 8	1	S703 and (command with line)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/04 15:08
S70 9	432	sequential\$3 with number\$3 with tag	US-PGPUB; USPAT	OR	ON	2007/10/06 17:21
S71 0	3	sequential\$3 with number\$3 with tag with html	US-PGPUB; USPAT	OR	ON	2007/10/06 17:22
S71 1	168	S709 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 17:23
S71 2	0	S711 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 17:22
S71 3	23	sequential\$3 with tag with html	US-PGPUB; USPAT	OR	ON	2007/10/06 17:22
S71 4	5	S713 and @ad<="20001027"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/06 17:23